

Durable and removable stainless steel platform

Power jack for adaptor

FP-095-31
Electronic Utility Scale

Durable stainless steel platform

- High precision STRAIN GAUGE technology for weight measurement
- Customized unit (allows user to define a preset unit for weighing)
- Tare (add-on) function
- Auto-off function
- Low battery indicator

View area size: *W65 x H21 mm*

Platform material: *Stainless steel*
Removable Platform Size*: 175 × 175 mm*
Product dimension: *268 × 187 × 59 mm*

Product weight:*1.0kg (Approx.)*

Capacity: *3kg / 106oz / 6lb10oz / 1929dwt / 96ozt*

Graduation: *1g / 0.05oz / 0.05oz / 0.5dwt / 0.05ozt*

Unit: *kg, lb, oz, dwt, ozt*

Power: *1 X 9V (6LR61) alkaline battery (not included)*
1 X 9V (100mA) DC adapter (not included)

Fook Tin Technologies Ltd.
4/F., Eastern Ctr., 1065 King's Rd., Quarry Bay, Hong Kong
Tel: (852) 2960-7288, **Fax:** (852) 2565-9672
E-mail: export@fooktin.com.hk



Durable and removable stainless steel platform

Power jack for adaptor

FP-095-205
Electronic Utility Scale

Durable stainless steel platform

- High precision STRAIN GAUGE technology for weight measurement
- Customized unit (allows user to define a preset unit for weighing)
- Tare (add-on) function
- Auto-off function
- Low battery indicator

View area size: *W65 x H21 mm*
Platform material: *Stainless steel*
Removable Platform Size*: 175 × 175 mm*
Product dimension: *268 × 187 × 59 mm*
Product weight:*1.0kg (Approx.)*

Capacity: *2kg / 71oz / 4lb6oz / 1286dwt / 64ozt*
Graduation: *0.5g / 0.02oz / 0.02oz / 0.2dwt / 0.02ozt*
Unit: *kg, lb, oz, dwt, ozt*
Power: *1 X 9V (6LR61) alkaline battery (not included)*
1 X 9V (100mA) DC adapter (not included)

Fook Tin Technologies Ltd.
4/F., Eastern Ctr., 1065 King's Rd., Quarry Bay, Hong Kong
Tel: (852) 2960-7288, **Fax:** (852) 2565-9672
E-mail: export@fooktin.com.hk



Durable and removable stainless steel platform

Power jack for adaptor

FP-095-61
Electronic Utility Scale

Durable stainless steel platform

- High precision STRAIN GAUGE technology for weight measurement
- Customized unit (allows user to define a preset unit for weighing)
- Tare (add-on) function
- Auto-off function
- Low battery indicator

View area size: *W65 x H21 mm*
Platform material: *Stainless steel*
Removable Platform Size*: 175 × 175 mm*
Product dimension: *268 × 187 × 59 mm*
Product weight:*1.0kg (Approx.)*

Capacity: *6kg / 212oz / 13lb4oz / 3858dwt / 193ozt*
Graduation: *1g / 0.05oz / 0.05oz / 0.5dwt / 0.05ozt*
Unit: *kg, lb, oz, dwt, ozt*
Power: *1 X 9V (6LR61) alkaline battery (not included)*
1 X 9V (100mA) DC adapter (not included)

Fook Tin Technologies Ltd.
4/F., Eastern Ctr., 1065 King's Rd., Quarry Bay, Hong Kong
Tel: (852) 2960-7288, **Fax:** (852) 2565-9672
E-mail: export@fooktin.com.hk