

Wireless Health
Care Devices

Body Fat Scales

Bathroom Scales

Kitchen Scales



SCALEMAN

Product Collection
2025-2026

© Fook Tin Technologies Ltd. All Rights Reserved. P/N: 200555085 (Rev.26.05) HOUSEHOLD SCALES



Fook Tin Technologies Ltd.

4/F., Eastern Ctr., 1065 King's Rd., Quarry Bay, Hong Kong
Tel: (852) 2960-7288 E-mail: export@fooktin.com.hk



Fook Tin Technologies Ltd.

Since 1963

Development Capability

Fook Tin's professional and experienced engineers perform research and development tasks in order to sustain Fook Tin's leading position and provide high quality service to our valuable customers. Also, Fook Tin's professional services and production capability can guarantee that we meet customers requirements on their specific, unique products and to follow it through the production process. Fook Tin's development capability comprises of:



Product Design



Mechanical Design



Software Design



PCB Design



Graphic Design

Fook Tin commits to providing professional advices and services by closely working with customers to understand what they need.

Production Capability

Fook Tin production plant is located in Shenzhen, China. We offer an integrated solution to our customers via a broad range of comprehensive manufacturing facilities, including:



Curing oven



Wiring



Temperature compensation



Foil heat treatment
Furnace



Laser welding

Quality Assurance

As an ISO9001 and ISO13485 certified company, we ensure on-going compliance and strict adherence to our quality standards. Independent internal audits are conducted rigorously and frequently. The achievement of goals is measured monthly to ascertain timely progress.

All products undergo an elaborate pilot run and product qualification process before they are released for mass production. Quality control is implemented at critical manufacturing control points to ensure that problems are identified and resolved promptly. Each batch of incoming materials is tested according to established standards.

The QC team can then coordinate with the specific production unit and the production engineering division to resolve any problems that arise. Similar to incoming and on-line QC processes, the outgoing QC of finished products adhere to the Military Standard 105E as customers' requirements.



Dead Weight Machine



L/C Test Press



30t lever Force
Standard machine




Temperature oven for
weighing



Climate test machine

Awards



Contents

About US

- Company profile
- Management system & compliance
- OEM/ODM and OBM supplier
- Development capability
- Production capability
- Quality assurance
- Awards



3-5

Wireless Health Care Devices

- Body Fat Scales
- Bathroom Scales
- Flat Weighing Scales
- Baby Scales



6-9

Body Fat Scales

- Glass Body Fat Scales
- Photo Real Glass Body Fat Scales
- Bamboo Body Fat Scales
- Digital Body Fat Scales



10-15



16-28

Bathroom Scales

- Glass Bathroom Scales
- Health Risk Assessment Scales
- Glass Electronic Bathroom Scales
- Solar Power Glass Bathroom Scales
- Modern Printing Design Glass Electronic Bathroom Scales
- Mini Glass Electronic Bathroom Scale



29-35

Kitchen Scales

- High-Capacity Digital Kitchen Scales
- Precision Digital Kitchen Scale with removable glass tray
- Digital Glass Platform, White Base Kitchen Scales
- Digital Kitchen Scales
- Digital Kitchen Scale With Pull-out Display
- Digital Nutrition Food Scales
- Digital Stainless Steel Kitchen Scales
- Precision Digital Stainless Steel Kitchen Scales
- Digital Bamboo Kitchen Scales
- Digital Plastic Kitchen Scales
- Digital Measuring Cup and Scales
- Compact Digital Plastic Kitchen Scales
- Precision Digital Pocket Scale with cover
- Mechanical Kitchen Scales

Company Profile

Fook Tin Technologies Ltd. was founded by Mr. Man-Chung Chai in 1963. Under the management of the Chai family over the past decades, Fook Tin has expanded into a conglomerate of companies. The company specializes in the design, manufacturing, marketing and distributing quality electronic products. We provide our customers full-serviced manufacturing solutions from product design to consistent delivery under a cost effective and vertically integrated manufacturing system. Fook Tin's customer base is composed of clients from over 80 countries. Our flagship brands are Saleman, Fukuda and PTi.



Apart from certifications like ISO 9001, ISO 13485, ISO 14001, ISO 45001 and IECQ QC 080000 HSPM, Fook Tin also deploys a series of quality management systems including:

- 5S
- Total Productive Maintenance
- Total Quality Management

We commit to bringing our customer products that are latest in technology, the most practical in use, and the highest in quality. With competence and diversity, our development, production, quality team turns innovative ideas into reality.

Fook Tin is also a United States Food and Drug Administration (FDA) 21. CFR. Part 820 QSR.

We guarantee the production processes of weighing systems fulfill the criteria of measurement accuracy, transaction security and data traceability. Fook Tin's customer base is composed of clients from over 80 countries.

Management System & Compliance

Fook Tin's headquarters is located in Hong Kong, and is supported by multiple manufacturing plants under the Fook Tin Group, which spans across Europe and Mainland China. Fook Tin is equipped with advanced machineries to offer our customers integrated manufacturing solutions, and implements comprehensive quality control systems to maintain the highest quality standard. The company is certified in

- ISO 9001 Quality management systems
- ISO 13485 Quality management systems in Medical devices
- ISO 14001 Environmental management systems
- ISO 45001 Occupational Health and Safety management systems
- IECQ QC 080000 Hazardous Substance Process Management standard



OEM/ODM And OBM Supplier

Your reliable OEM/ODM partner


- To be the manufacturer of choice through excellence in design innovation. product reliability. and timely delivery.
- Operating under an integrated management system encompassing quality. environmental. occupational health and safety standards allows Fook Tin to deliver the highest value-added products and services to customers.
- Equipped with our vertically-integrated manufacturing and the-state-of-the-art facilities. Fook Tin commits to bring to our customers products that are latest in technology, the most practical in use, and the highest in quality. With competence and diversity, our development, production and quality team turns innovative ideas into reality.

Development Capability

Fook Tin's professional and experienced engineers perform research and development tasks in order to sustain Fook Tin's leading position and provide high quality service to our valuable customers. Also, Fook Tin's professional services and production capability can guarantee that we meet customers requirements on their specific, unique products and to follow it through the production process. Fook Tin's development capability comprises of:



Product Design



Mechanical Design



Software Design



PCB Design



Graphic Design

Fook Tin commits to providing professional advices and services by closely working with customers to understand what they need.

Production Capability

Fook Tin production plant is located in Shenzhen, China. We offer an integrated solution to our customers via a broad range of comprehensive manufacturing facilities, including:



Curing oven



Wiring



Temperature compensation



Foil heat treatment
Furnace



Laser welding

Quality Assurance

As an ISO9001 and ISO13485 certified company, we ensure on-going compliance and strict adherence to our quality standards. Independent internal audits are conducted rigorously and frequently. The achievement of goals is measured monthly to ascertain timely progress.

All products undergo an elaborate pilot run and product qualification process before they are released for mass production. Quality control is implemented at critical manufacturing control points to ensure that problems are identified and resolved promptly. Each batch of incoming materials is tested according to established standards.

The QC team can then coordinate with the specific production unit and the production engineering division to resolve any problems that arise. Similar to incoming and on-line QC processes, the outgoing QC of finished products adhere to the Military Standard 105E as customers' requirements.



Dead Weight Machine



L/C Test Press



30t lever Force
Standard machine




Temperature oven for
weighing



Climate test machine

Awards



Wireless Health Care Devices



Wireless Bathroom Scales

182 kg
400 lb

100 g
0.2 lb

- Wireless communication between scale and iPhone, iPod touch, iPad;
- High precision strain gauge technology for body weight measurement
- Tempered glass painted platform
- Large white LED display
- Auto-on and auto-off function
- Over load/low battery indicator


Readout & size: W83 x H45 mm

Product dimension: 330 x 310 x 30 mm

Power by: 2 x CR2032 lithium batteries (included)



YS-3090L4



Wireless Body Fat Scales

182 kg
400 lb

100 g
0.2 lb



- Wireless communication between scale and iPhone, iPod touch, iPad;
- (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- Body mass Index (BMI) calculation
- Large glass platform

Readout & size: W90 x H50 mm

Product dimension: 330 x 310 x 30 mm

Power by: 4 x AAA alkaline batteries (not included)



FS-205L4



FS-209L4

150 kg
330 lb

100 g
0.2 lb

- Wireless communication between scale and iPhone, iPod touch, iPad;
- High precision strain gauge technology for body weight measurement
- Tempered glass painted platform
- Large LCD display
- Auto-on and auto-off function
- Over load/low battery indicator

Readout & size: W73 x H28 mm

Product dimension: 230 x 135 x 20 mm

Power by: 2 x CR2032 lithium batteries (included)



XY-3078L4



Wireless Bathroom Scales



- Wireless communication between scale and iPhone/iPod/iPad
- BMI calculation
- Classification of BMI for adults (19 to 99 years of age) according to four categories: underweight, normal, overweight and obese
- Large glass platform

Readout & size: W80 x H40 mm

Product dimension: 330 x 310 x 19 mm

Power by: 4 x AA (LR6) alkaline batteries (not included)

LCD display



Weight

Bmi & classification of bmi for adults

Calorie prediction



FS-222L4



LED flash when 75% memory is used

Smart App

Easy to set up from a smartphone or tablet with bluetooth-enabled device. No PC to set up or WIFI network is required



Personalized your weight profile. The user name will display on both scale and the App.



FS-220L4



FS-221L4

Wireless Flat Weighing Scales




- Wireless communication between scale and iPhone/iPod/iPad
- Platform with extra large mat surface
- Simple weighing function
- With LCD backlight display

Readout & size: W73 x H28 mm

Product dimension: 433 x 370 x 34.5 mm

Power by: 4 x 1.5V AAA (RL03) batteries (not included)



Thermal printer
FA-632PR



FS-632SLEL4

Wireless Baby Scales



- Wireless communication between scale and iPhone/iPod/iPad
- High precision strain gauge technology for weight measurement
- With extra large platform
- Simple weighing function

Readout & size: W73 x H28 mm

Product dimension: 597 x 350 x 74 mm

Power by: 2 x AAA alkaline batteries (not included)



FS-193L4

Body Fat Scales



Glass Body Fat Scales



With body water, bone mass and muscle mass estimations


- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precision strain gauge technology for body weight measurement
- Calorie predictor feature
- Body mass Index (BMI) calculation
- Athlete/normal mode selection
- 10-user memories
- Temper glass painted platform
- Large LCD display
- 4-touch button operation



YS-6069D5

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 26 mm
 Power by: 2 x CR2032 lithium batteries (included)

LCD display



Glass Body Fat Scales



CS1381 – 8k FDA

- Estimates body fat & body water bone mass, muscle mass percentage to 0.1% graduation
- Calorie intake estimations
- BMI
- Auto recognition
- Memory recall function
- Memory for 12 users, athlete mode option
- 2 color silk print
- 4 touch buttons operation

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 26 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-6069C1



With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precision strain gauge technology for body weight measurement
- Athlete/normal mode selection
- 10-user memories
- Tempered glass painted platform
- Large LCD display
- 4-touch button operation



YS-6069D3

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 26 mm
 Power by: 2 x CR2032 lithium batteries (included)

LCD display



Glass Body Fat Scales



With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precise strain gauge technology for body weight measurement
- Temper glass painted platform
- Calorie predictor feature
- Body mass index (BMI) calculation
- 10-user memories/auto-on and auto-off functions
- Low battery indicator/4-button operation

Readout & size: W73 x H35 mm
 Product dimension: 265 x 215 x 30 mm
 Power by: 4 x AAA batteries (not included)



YS-6071


Photo Real Glass Body Fat Scales



With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Calorie predictor feature
- Body mass index (BMI) calculation
- 10-user memories/auto-on and auto-off functions
- Low battery indicator/4-touch button operation

Readout & size: W77 x H40 mm
 Product dimension: 300 x 300 x 26 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-6069-A



YS-6069-C



YS-6069-B

Bamboo Body Fat Scales



With body water estimation

- Bamboo design with environment friendly
- Bamboo combination design allow platform with high tenacity in weighing
- Water resistant bamboo surface
- Bioelectrical impedance analysis (BIA) technology for body fat and body water estimation
- High precision strain gauge technology for weight measurement
- 4-user memories
- Slim design
- Plantation grown for sustainability
- Auto-on and auto-off functions
- Low battery indicator
- Body fat and body water graduation: 0.1%
- Age range: 10 - 99 years
- Height range: 100 - 220cm
- Body fat range: 4 to 50% ('E' version);
5 to 50% ('A' version)

Readout & size: W80 x H40 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-6061(2C)-A



YS-6061(2C)-B



YS-6061(1C)-B

Digital Body Fat Scales



With body water, bone mass and muscle mass estimations


- Bioelectrical impedance analysis (BIA) technology for body fat and body water, bone mass and muscle mass estimation
- High precision strain gauge technology for weight measurement
- Athlete/normal mode selection
- 4 user memories
- Large LCD display
- 2 line display

Readout & size: W98 x H74 mm
 Product dimension: 240 x 220 x 28 mm
 Power by: 4 x AAA batteries (included)



YS-6095D3

LCD display



With body water, bone mass and muscle mass estimation


- Bioelectrical impedance analysis (BIA) technology for body fat and body water, bone mass and muscle mass estimation
- High precision strain gauge technology for weight measurement
- Calorie predictor feature
- Body mass index (BMI) calculation
- Athlete/normal mode selection
- 4 user memories
- Large LCD display
- 3 line display

Readout & size: W98 x H74 mm
 Product dimension: 240 x 220 x 28 mm
 Power by: 4 x AAA batteries (included)



YS-6095D5

LCD display



Bathroom Scales



Glass Bathroom Scales

182 kg / 400 lb
100 g / 0.2 lb

Anti-slip dot

- Large LCD display
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: W74 x H38 mm

Product dimension: 300 x 300 x 20 mm

Power by: 1 x CR2032 lithium battery (included)



WS-3035-3

182 kg / 400 lb
100 g / 0.2 lb


Anti-slip dot

- Large LCD display
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: W74 x H38 mm

Product dimension: 300 x 300 x 20 mm

Power by: 1 x CR2032 lithium battery (included)



WS-3035-1



Glass Bathroom Scales

180 kg / 400 lb
100 g / 0.2 lb

With blue color stainless steel platform

- Color stainless steel platform, with finger print-proof coating
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: W74 x H38 mm

Product dimension: 300 x 300 x 20 mm

Power by: 1 x CR2032 lithium battery (included)



WS-228-B

180 kg / 400 lb
100 g / 0.2 lb

With red color stainless steel platform

- Color stainless steel platform, with finger print-proof coating
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: W74 x H38 mm

Product dimension: 300 x 300 x 20 mm

Power by: 1 x CR2032 lithium battery (included)



WS-228-B

Health Risk Assessment Scales



2c silk print

- With BMI calculation with color index for classification of BMI in five categories: under, normal, over, obesity and extreme
- Disease risk level indicator (for type 2 diabetes, hypertension and cardiovascular disease)
- 4-user memories
- User recognition
- 3-button operation
- Auto-on and auto-off function
- Overload indicator

Readout & size: W78 x H42 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3067HR



Color change LCD

- With BMI calculation with color index for classification of BMI in five categories: under, normal, over, obesity and extreme
- Disease risk level indicator (for type 2 diabetes, hypertension and cardiovascular disease)
- 4-user memories
- User recognition
- 3-button operation
- Auto-on and auto-off function
- Overload indicator
- Low battery indicator

Readout & size: W78 x H42 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3067HR-C



measuring tape 0-150cm



Glass Electronic Bathroom Scales



With color blue led backlight display

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Large LCD display with blue backlight
- Auto-on function

Readout & size: W83 x H43 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)




YS-3092AP



Master weighs herself, and then weighs herself with pet in hands, and scales give her the weight of pet only



YS-3092AM



Mother weighs herself, and then weighs herself with baby in hands, and scales give her the weight of baby only

Glass Electronic Bathroom Scales



With stainless steel platform

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper stainless steel platform
- Auto-on functions

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



FS-234

With colored stainless steel platform

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform with colored stainless steel
- Large LCD display
- Auto-on function

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3092APS

With colored stainless steel strap

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform with colored stainless steel strap
- Large LCD display
- Auto-on function

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3092ASS

Glass Electronic Bathroom Scales



With weight and calories estimation


- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Calorie predictor feature
- With last weight tracking function
- 4-user memories
- 4-touch button operation
- Large LCD display

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3069C

LCD display



With weight tracking function


- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- With 2 users weight tracking function (no button needed)
- Large blue LCD display
- Auto-on function

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3092AT

LCD display



Bamboo Electronic Bathroom Scales


180 kg
400 lb

100 g
0.2 lb

Frosted pattern

- Large LCD display
- Auto-on function
- Over load/low battery indication

Readout & size: W80 x H42 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 1 x CR2032 lithium battery (included)



YS-3092AF-A

YS-3092AF-B

250 kg
550 lb

100 g
0.2 lb

With large capacity 550lb

- High precision strain gauge technology for body weight measurement
- 8mm temper glass painted platform
- Large LCD display
- Auto-on function

Readout & size: W94 x H56 mm
 Product dimension: 380 x 330 x 28 mm
 Power by: 3 x AAA batteries (included)



YS-3089B

Glass Electronic Bathroom Scales

180 kg
28.8 lb / 400 lb

100 g
0.2 lb / 1 lb

With color blue LED backlight display

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform in blue/green/red
- Large blue backlight LCD display
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: W80 x H43 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3092A-B

180 kg
28.8 lb / 400 lb

100 g
0.2 lb / 0.2 lb

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: W73 x H28 mm
 Product dimension: 290 x 280 x 20 mm
 Power by: 1 x CR2032 lithium battery (included)



YS-3037A

180 kg
28.8 lb / 400 lb

100 g
0.2 lb / 0.2 lb

With memory function

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- 2-user memories
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: W83 x H45 mm
 Product dimension: 300 x 300 x 20 mm
 Power by: 2 x CR2032 lithium batteries (included)



YS-3092A

Solar Power Glass Bathroom Scales

182 kg
28.8 lb / 400 lb

100 g
0.2 lb / 1/4 lb

- Bamboo design with environment friendly
- Bamboo combination design allow platform with high tenacity in weighing
- Water resistant bamboo surface
- High precision strain gauge technology for weight measurement
- Slim design
- Plantation grown for sustainability
- Auto-on and auto-off functions
- Low battery indicator

Readout & size: W76 x H37 mm
 Product dimension: 310 x 300 x 24 mm
 Power by: 1 x CR2032 lithium battery (included)



YS-B3169(2C)-A



YS-B3169(2C)-B



YS-B3169(1C)-B



Modern Printing Design Glass Electronic Bathroom Scales

180 kg
28.8 lb / 400 lb

100 g
0.2 lb / 0.2 lb

- Heat transfer
- 6mm temper glass painted platform
- Plastic housing in molded color
- Heat transfer graphic on the glass
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: W78 x H40 mm
 Product dimension: 300 x 300 x 25 mm
 Power by: 2 x CR2032 lithium batteries (included)



WS-3032-A



WS-3032-B



WS-3032-C



Glass Electronic Bathroom Scales

200 kg
28.8 lb / 440 oz

100 g
0.2 oz / 0.2 oz

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator
- Blue LED display

Readout & size: LCD W82 x H43 mm
Product dimension: 300 x 300 x 25 mm
Power by: 3 x AAA batteries (included)



YS-3063-B
With blue LED display



YS-3063-R
With red LED display

Mini Glass Electronic Bathroom Scales

160 kg
25 x 350 oz

100 g
0.2 oz / 1/4 oz

With expandable display

- High precision strain gauge technology for weight measurement
- Mini and environment-friendly design
- Simple weighing function
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: LCD W60 x H26 mm
Product dimension: 230 x 130 x 21 mm
Power by: 2 x CR2032 (WERCs) lithium batteries (included)



BS-SR191T

Kitchen Scales



High-Capacity Digital Kitchen Scales

15 kg
1 g

33 lb
0.1 oz

- Oversized (270 x 200mm) glass platform for easy clean up and weighing larger food package
- Add and weigh TARE function
- Two buttons control keeps the functions simple
- Measure food, liquids and fluids
- Auto and manual shut off feature preserves battery life
- Bright white LED readout

Readout & size: W79 x H25 mm
Glass platform size: 270 x 200 x 4 mm
Product dimension: 272 x 250 x 22 mm
Unit: g / oz / lb / lb:oz / ml
Power by: 3 x AAA batteries (included)



YS-8081B

Precision Digital Kitchen Scales with Removable Glass Tray

5000g
0.1g

11lb
0.01oz

Removable raised glass platform features a stain-resistant
Touch control buttons will not collect food or debris
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Power-saving large LCD display with (28mm) digit height readout

Readout & size: W65 x H28 mm
Glass platform size: Φ145mm
Product dimension: 200 x 145 x 25 mm
Unit: g / kg / lb:oz / oz
Power by: 2 x CR2032 lithium batteries (included)



YS-8079

Digital Kitchen Scales

5000g
1g

11lb
0.1oz

Photo real design print onto a safety glass platform
Touch control buttons will not collect food or debris
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Power-saving LCD display with (18mm) digits height readout
Measure food, liquids and fluids

Readout & size: W40 x H18 mm
Product dimension: 195 x 141 x 14 mm
Unit: g / ml / lb:oz / oz
Power by: 1 x CR2032 lithium battery (included)



WS-603

Digital Glass Platform, White Base Kitchen Scales

5000g
1g

11lb
0.1oz

Raised (Φ150mm) rounded glass platform features a stain-resistant
Touch control buttons will not collect food or debris
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Measure food, liquids and fluids
Power-saving LCD display with (19mm) digit height readout

Readout & size: W49 x H19 mm
Product dimension: 200 x 177.5 x 49.5 mm
Unit: g / ml / lb:oz / oz
Power by: 2 x AAA batteries (included)



YS-8068

5000g
1g

11lb
0.1oz

Raised (Φ150mm) rounded glass platform features a stain-resistant
Touch control buttons will not collect food or debris
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Measure food, liquids and fluids
Power-saving LCD display with (19mm) digit height readout

Readout & size: LCD W49 x H19 mm
Product dimension: 200 x 177.5 x 49.5 mm
Unit: g / ml / lb:oz / oz
Power by: 2 x AAA batteries (included)



YS-8069



5000g
1g

11lb
0.1oz

Tempered glass platform for easy clean up
Touch control buttons will not collect food or debris
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Power-saving large LCD display, (21mm) digits height readout
Measure food, liquids and fluids

Readout & size: W55 x H21 mm
Product dimension: 145 x 200 x 29 mm
Unit: g / ml / lb:oz / oz
Power by: 1 x CR2032 lithium battery (included)



YS-8078

Digital Kitchen Scales With Pull-out Display

5000g
1g

11lb
0.1oz

- The pull-out LCD display is easy to read and tucks away for an easy storage option
- Touch control buttons will not collect food or debris
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Power-saving large LCD display with (19mm) digit height readout
- Measure food, liquids and fluids

Readout & size: W53 x H19 mm

Glass platform size: Φ185 mm

Product dimension: 185 x 222.5 x 21.5 mm

Unit: g / ml / lb:oz / oz

Power by: 1 x CR2032 lithium battery (included)



YS-8086

10kg
1g

22lb
0.1oz

- The pull-out LCD display is easy to read and tucks away for an easy storage option
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Measure food, liquids and fluids
- Power-saving large LCD with (28mm) digit height readout

Readout & size: W62 x H28 mm

Glass platform size: 240 x 180 mm

Product dimension: 240 x 180 x 16 mm

Unit: g / ml / lb:oz / oz / fl'oz

Power by: 1 x CR2032 lithium battery (included)



WS-KG690

Digital Stainless Steel Kitchen Scales

5000g
1g

176oz
0.1oz

- Ultra slim profile of only 0.6"
- Brushed stainless-steel platform durable, easy to clean, and resistant to staining and rusting
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Power-saving LCD display with (19mm) digit height readout
- Measure food, liquids and fluids

Readout & size: W53 x H19 mm

Product dimension: 200 x 146 x 13 mm

Unit: kg / oz / lb:oz / ml

Power by: 1 x CR2032 lithium battery (included)



YS-8076SS

5000g
1g

176oz
0.1oz

- Ultra slim profile of only 0.5"
- Brushed stainless-steel platform durable, easy to clean, and resistant to staining and rusting
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Large LCD readout with WHITE backlight
- Measure food, liquids and fluids

Readout & size: W65 x H30 mm

Product dimension: 228 x 15.82 x 13 mm

Unit: g / oz / lb:oz / ml

Power by: 2 x CR2032 lithium batteries (included)



YS-8070SS

Digital Nutrition Food Scales

5kg
1g

11lb
0.1oz

- Built-in display shows the nutritional values to calculate the amount of Calories, Sodium, Protein, Fat, Carbohydrate, Cholesterol & Fiber of the food items being weighed.
- Add and weigh TARE function
- Measure food, liquids and fluids
- Auto and manual shut off feature preserves battery life
- Power-saving large LCD display with integrated information

Readout & size: W54 x H42 mm

Product dimension: 224 x 157 x 17 mm

Unit: g / oz / lb:oz / fl.oz / ml

Power by: 4 x AAA batteries (included)



YS-5001

Precision Digital Stainless Steel Kitchen Scales

2000g
0.1g

70oz
0.01oz

- Brushed stainless steel platform and housing make the scale durable, easy to clean, and resistant to staining and rusting
- Add and weigh TARE function
- Two buttons control keeps the functions simple
- Measure food, liquids and fluids
- Auto and manual shut off feature preserves battery life
- Large LCD display with blue backlight

Readout & size: W61 x H30 mm

Stainless-steel platform size: 150 x 150 mm

Product dimension: 210 x 150 x 30 mm

Unit: kg / oz / lb:oz / ml

Power by: 3 x AAA batteries (included)



YS-8060

Digital Bamboo Kitchen Scales



- Eco-friendly natural bamboo platform
- Touch control buttons will not collect food or debris
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Measure food, liquids and fluids
- Large LCD display with blue backlight

Readout & size: W62 x H28 mm
 Product dimension: 228 x 177 x 25 mm
 Unit: g / lb:oz / fl.oz / ml
 Power by: 2 x CR2032 lithium batteries (included)



YS-8006



- Eco-friendly natural bamboo platform
- Touch control buttons will not collect food or debris
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Measure food, liquids and fluids
- Power-saving LCD display with (18mm) digit height readout

Readout & size: W48 x H18 mm
 Product dimension: Ø 185 x 17 mm
 Unit: g / lb:oz / fl.oz / ml
 Power by: 1 x CR2032 lithium battery (included)



YS-8025SL



- Eco-friendly natural bamboo platform
- Touch control buttons will not collect food or debris
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Measure food, liquids and fluids
- Power-saving large LCD display with (28mm) digit height readout

Readout & size: W62 x H28 mm
 Product dimension: 218 x 188 x 21mm
 Unit: g / lb:oz / fl.oz / ml
 Power by: 3 x AAA batteries (included)



WS-KB651

Digital Plastic Kitchen Scales



- 15-cup (3.5 litres) measuring bowl
- Plastic recessed platform keeps food contained
- Rubberized buttons
- Count down timer with alarm
- Ambient temperature display
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Measure food, liquids and fluids
- Power-saving LCD, (22mm) digit height readout


Readout & size: W46 x H22 mm
 Plastic platform size: Ø130 mm
 Product dimension: Ø230 x 200 x 41 mm
 Unit: g / lb:oz / fl.oz / ml
 Power by: 1 x CR2032 lithium battery (included)



YS-8077A



YS-8077B With Bowl



- 4-cup (0.55 litres) measuring bowl
- Add and weigh TARE function
- Auto and manual shut off feature preserves battery life
- Measure food, liquids and fluids
- Power-saving LCD, (18mm) digit height readout

Readout & size: W48 x H18 mm
 Plastic platform size: Ø130 mm
 Product dimension: Ø140 x 173 x 30 mm
 Unit: g / lb:oz / fl.oz / ml
 Power by: 1 x CR2032 lithium battery (included)



YS-8027A

YS-8027B With Bowl

Digital Measuring Cup and Scales

5 kg
1 g

11 lb
0.05 oz

Removable & washable measuring cup 1.5 litres with volume markings on the side
Multi-purpose to allow you to weigh dry or liquid ingredients simultaneously
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Power-saving large LCD display with (24mm) digit height readout

Readout & size: W37 x H24 mm
Product dimension: 230 x 135 x 172 mm
Unit: g / oz / lb:oz / ml / fl.oz / Cups
Power by: 1 x CR2032 lithium battery (included)



YS-8801

Compact Digital Plastic Kitchen Scales

5000 g
0.1 g

11 lb
0.01 oz

Small size for easy storage and portability
ABS food contact plastic platform
Touch control buttons will not collect food or debris
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Measure food, liquids and fluids
Power-saving large LCD display with (22mm) digit height readout

Readout & size: W51 x H22 mm
Plastic platform size: 135 x 135 mm
Product dimension: 153 x 135 x 27 mm
Unit: g / lb:oz / fl.oz / ml
Power by: 2 x AAA batteries (included)



WS-KP2048

Precision Digital Pocket Scales with Covers

300 g
0.01 g

10.58 oz
0.01 oz

1500 ct
0.05 ct

4630 gn
0.2 gn

9.645 ozt
0.00005 ozt

192.90 dwt
0.01 dwt

Smart and compact; dual purpose cover / weighing tray
Brushed stainless steel weighing platform can be used without tray
Field calibration function
Add and weigh TARE function
Auto and manual shut off feature preserves battery life
Reverse LCD display with (14mm) digit height readout
Measure food, liquids and fluids

Readout & size: W35 x H14 mm
Product dimension: 119 x 73 x 20 mm
Unit: g / oz / ct / gn / ozt / dwt
Power by: 2 x AAA batteries (included)



WS-PK130L

Mechanical Kitchen Scales

500 g
5 g

1 lb
1/4 oz

Removable bowl
Easy to read bold numerals
Scale fits inside bowl for compact storage
Zero Adjustment Knob feature allows user to reset the scale to zero

Platform Size: (with bowl) 118 x 178 x 88.7mm
Bowl 118 x 73 x 88.7 mm



FS-252



2 kg
20 g

4 lb 6 oz
1 oz

Removable (1000ml) bowl
Zero Adjustment Knob feature allows user to reset the scale to zero
Large clock-face dial, easy to read

Platform Size: 160 x 120 x 123 mm



FS-025-2

3 kg
25 g

6 lb 10 oz
1 oz

Removable (2500ml) bowl with handle and spout
Easy to read numerals
Add and weigh tare function
Scale fits inside bowl for compact storage

Platform Size: Ø 215 x 74 mm



FS-911